

Lathe



SCHAUBLIN 125CCNR-T

Machine occasion

N° de stock : **DB3075**



CNC system	Fanuc 20-T
Year	1997

max. admitted diameter over the slides	115 mm
max. admitted diameter over the bed	270 mm
Height of centers	125 mm
Spindle power	5.5/7.5 KW
Spindle speed	30-5000 RPM
Spindle diameter	28 mm
Turning maximum diameter	200 mm
Cross travel	150 mm
Longitudinal travel	325 mm
Feeding speed	X/Z : 0-5 mm/mn
coarse feeds of X and Z axis (m/mn)	7.5 mm/mn
Number of turret	1
Number of stations on turret 2	8
capacity of the tank	55 liters
Dimensions	1697x1236x1658 mm
Weight	1415 Kg

Equipments:

- Oil mist vacuum cleaner Lufttechnik from 2004
- Pneumatic tailstock Mo3 operated with a pneumatic command, axial spindle stroke 70 mm. Adjustable pressure from 25 to 260 daN
- Marcel-Aubert Tool zero setting microscope
- Headstock (spindle) type D1-3
- Spindle nose adapter for OTTET collets
- RJ45 system for program backup
- Different B32 collets
- Drawbar with nuts for adaptation chucks from various makes and for HAINBUCH clamping
- Set of tool holders

Tooling system: Turret with fixed tools

- Set of tool holders
- Tool holder type VDI 20
- Maximum tool section 16×16 mm
- Integrated cooling system. Indexing in both directions





