

Fresadora de pórtico



KENT KMV 32P

Machine occasion

N° de stock : **A3223-1**




Año	2013
Tipo	KMV 32 P




C.N.C.	Fanuc OiMD
Carrera X	3200 mm
Carrera Y	2000 mm
Recorrido Z	900 mm
Dimensiones de la mesa	3200 x 1650 mm
Número de ranuras	9
Ancho máximo de ranura	22 mm
Distancia mínima entre el eje del cabezal y la mesa	40 mm
Distancia máx. entre el eje del cabezal y la mesa	940 mm
Velocidad del cabezal	8000 tr/min
Cambiador automático de herramientas	32
Dimensiones	8440x4518x4913 mm
Peso	27500 Kg











Controlled Force (N)	mm	5000
Control Force (N)	mm	5000
Control Force (N)	mm	5000
Control Force (N)	mm	5000
Control Force (N)	mm	5000
TABLE		
Length	mm	5000
Width	mm	1000
Height	mm	200
Volume (mm³)		1000000
Control Force (N)	mm	5000
Control Force (N)	mm	5000
Control Force (N)	mm	5000
Control Force (N)	mm	5000
Control Force (N)	mm	5000
NOTES		
Control Force (N)	mm	5000
Control Force (N)	mm	5000
Control Force (N)	mm	5000
Control Force (N)	mm	5000
Control Force (N)	mm	5000
AVC		
Tool Storage Capacity		25
Max. Tool d (mm)	mm	25 (1/2")
Max. Tool Weight	kg	25
Tool d (mm)		25 (1/2")
GENERAL		
Machine Dimensions L x W x H (mm)	mm	5000 x 1000 x 200
Net Weight	kg	10000
Gross Weight	mm	10000 x 1000
Control Force		5000 N
ELECTRIC		
Input current (A/V)	mm	5000 x 1000
Input current (A/V)	mm	5000 x 1000