

Centros de mecanizado verticales

Mazak

MAZAK VARIAXIS 730

Machine occasion N° de stock : **A3506-1**



Carrera longitudinal	730 mm
----------------------	--------

Recorrido transversal - Y	850 mm
---------------------------	--------

Recorrido vertical - Z	560 mm
Eje lineal	-120° /+30°
Eje C	+/-360°
Distancia máxima entre la mesa y la nariz del husillo	230-790 mm
Dimensiones de la mesa	630x500 mm
Peso máximo sobre la mesa	500 Kg
Avance rápido	42 mm/mn
Peso máx. de la herramienta	20 kgs
Cono de husillo	ISO 50
Velocidad del cabezal	35-10000 tr/min
Potencia	22-30 KW
Tienda	40 outils
Diámetro máximo de las herramientas para espárragos	125-210 mm
Control numérico	Mazatrol Matrix
Dimensiones	5985x2695x3515 mm
Peso	21000 Kg
Año	2012

Options and accessories:

A axe : -120° /+30°

Workpiece cleaning device (Niagara)

Spindle center coolant 15 bar

Interface for high pressure coolant up to 70 bars

Tool probe RMP600

RENISHAW ISO measuring cycles

Drilling cycle depending on the cut (Mazatrol)

Synchronized tapping

Dynamic compensation type 2

Chip conveyor

Additional M function

Tool change time (chips/chips): 4,5 sec











