

## Tornos



# SCHAUBLIN 125CCNR-T

Machine occasion

N° de stock : **DB3075**



Control numérique

Fanuc 20-T

Año

1997

|                                                    |                   |
|----------------------------------------------------|-------------------|
| Diámetro máximo permitido por encima de los carros | 115 mm            |
| Diámetro máximo permitido por encima del banco     | 270 mm            |
| Altura de las puntas                               | 125 mm            |
| Potencia del husillo                               | 5.5/7.5 KW        |
| Velocidad del cabezal                              | 30-5000 tr/min    |
| Diámetro del husillo                               | 28 mm             |
| Diámetro de giro máx.                              | 200 mm            |
| Carrera transversal                                | 150 mm            |
| Carrera longitudinal                               | 325 mm            |
| Avance de trabajo                                  | X/Z : 0-5 mm/mn   |
| Avance rápido ejes X y Z (m/min)                   | 7.5 mm/mn         |
| Número de torreta                                  | 1                 |
| Número de estaciones de torreta 2                  | 8                 |
| Capacidad del tanque                               | 55 liters         |
| Dimensiones                                        | 1697x1236x1658 mm |
| Peso                                               | 1415 Kg           |

### **Equipments:**

- Oil mist vacuum cleaner Lufttechnik from 2004
- Pneumatic tailstock Mo3 operated with a pneumatic command, axial spindle stroke 70 mm. Adjustable pressure from 25 to 260 daN
- Marcel-Aubert Tool zero setting microscope
- Headstock (spindle) type D1-3
- Spindle nose adapter for OTTET collets
- RJ45 system for program backup
- Different B32 collets
- Drawbar with nuts for adaptation chucks from various makes and for HAINBUCH clamping
- Set of tool holders

### **Tooling system: Turret with fixed tools**

- Set of tool holders
- Tool holder type VDI 20
- Maximum tool section 16×16 mm
- Integrated cooling system. Indexing in both directions





