

Torno de cabezal deslizante CNC



TORNOS DECO SIGMA 8

Machine occasion

N° de stock : **DB3008**



Año	2007
Tipo	Deco Sigma 8

Diámetro máximo admisible	10 mm
3264	20
Velocidad del cabezal	15000 tr/min
Indexación del cabezal Eje C	0.001°
Recorrido del carro	15000 mm
Carrera de trabajo	120 mm
Potencia del husillo	5 KW
Número de puestos	possible rotating 3
Recorrido	0 à 10000 mm
Número	5 simultaneous + 2
Dimensiones	1670x870x1650 mm
Peso	1600 Kg

[Technical documentation](#)

Counter-spindle indexing: 0.001°

Equipments

- CN FANUC 32i Model A
- Automatic barfeeder with LNS Tryton 112 magazine (diameter 1 to 12.7 mm)
- Programming with TB-Deco or ISO code
- Compact oil mist filtration Filtermist FX2000
- 2 radial turning tools 12×12 mm
- Support plate 8 tools square 8×8 mm
- Support plate 4 holes diameter 16 mm
- Double support plate low 2 holes 25 mm
- Lubrication tank with pump
- Parts ejector
- Separator for pneumatic parts, evacuation by chute
- Lamp

Machine sold without the 4 drill toolholders and without the pieces's vacuum.





