

Centri di lavoro verticali

**Mazak**

**MAZAK VARIAXIS 730**

Machine occasion    N° de stock : **A3506-1**



Corsa longitudinale	730 mm
Corsa trasversale - Y	850 mm

Corsa verticale-Z	560 mm
Linear axis	-120° /+30°
Asse C	+/-360°
Distanza massima tra il centro della tavola e il naso del mandrino	230-790 mm
Dimensioni della tavola	630x500 mm
Peso massimale sulla tavola	500 Kg
Avanzamento rapido	42 mm/min
Max weight of the tools	20 kgs
Cono del mandrino	ISO 50
Velocità del mandrino	35-10000 tr/min
Potenza	22-30 kW
Deposito utensili	40
Number of stations on turret	125-210
CNC system	Mazatrol Matrix
Dimensioni	5985x2695x3515 mm
Peso	21000 kg
Anno	2012

Options and accessories:

A axe : -120° /+30°

Workpiece cleaning device (Niagara)

Spindle center coolant 15 bar

Interface for high pressure coolant up to 70 bars

Tool probe RMP600

RENISHAW ISO measuring cycles

Drilling cycle depending on the cut (Mazatrol)

Synchronized tapping

Dynamic compensation type 2

Chip conveyor

Additional M function

Tool change time (chips/chips): 4,5 sec











