

Freesmachines



KENT KMV 32P PORTIQUE

Machine occasion

N° de stock : **A3223-1**




Type	KMV 32 P
Computergestuurde regeling	Fanuc OiMD




Slag X	3200 mm
Slag Y	2000 mm
Slag Z	900 mm
Afmetingen tafel	3200 x 1650 mm
Number of fixed stations on turret	9
Maximale sleufbreedte	22 mm
Maximale freesbreedte	40 mm
Max. afstand tussen spilas en tafel	940 mm
Spindelsnelheid	8000 tr/min
Gereedschap wisselaar	32
Formaten	8440x4518x4913 mm
Gewicht	27500 Kg
Jaar	2013











Controlled Force (N)	mm	5000
Control Force (N)	mm	5000
Control Force (N)	mm	5000
Control Force (N)	mm	5000
Control Force (N)	mm	5000
TABLE		
Length	mm	5000
Width	mm	1000
Height	mm	200
Volume (mm³)		1000000
Control Force (N)	mm	5000
Control Force (N)	mm	5000
Control Force (N)	mm	5000
Control Force (N)	mm	5000
Control Force (N)	mm	5000
NOTES		
Control Force (N)	mm	5000
Control Force (N)	mm	5000
Control Force (N)	mm	5000
Control Force (N)	mm	5000
Control Force (N)	mm	5000
AVC		
Tool Storage Capacity		25
Max. Tool d (mm)	mm	25 (1/2")
Max. Tool Weight	kg	25
Tool d (mm)		25 (1/2")
GENERAL		
Machine Dimensions L x W x H (mm)	mm	5000 x 1000 x 200
Net Weight	kg	10000
Gross Weight	mm	10000 x 1000
Control Force		5000 N
ELECTRIC		
Input current (A/V)	mm	5000 x 1000
Input current (A/V)	mm	5000 x 1000