

## Draaibanken

**SCHAUBLIN**  
MACHINES SA

# SCHAUBLIN 125CCNR-T

Machine occasion      N° de stock : **DB3075**



CNC system

Fanuc 20-T

Jaar

1997

Max. toelaatbare diameter boven de rijtuigen	115 mm
max. toegelaten diameter over het bed	270 mm
Hoogte van de punten	125 mm
Vermogen op hoofdspil	5.5/7.5 KW
Spindelsnelheid	30-5000 tr/min
Spildiameter	28 mm
Max. draaicirkeldiameter	200 mm
Dwarsverplaatsing	150 mm
verschuiving draai tafel	325 mm
Voedingssnelheid	X/Z : 0-5 cps/mn
Snelle voedingssnelheden X- en Z-as (m/mn)	7.5 mm/mn
Aantal de revolver	1
Number of stations on turret 2	8
capacity of the tank	55 liters
Formaten	1697x1236x1658 mm
Gewicht	1415 Kg

**Equipments:**

- Oil mist vacuum cleaner Luftechnik from 2004
- Pneumatic tailstock Mo3 operated with a pneumatic command, axial spindle stroke 70 mm. Adjustable pressure from 25 to 260 daN
- Marcel-Aubert Tool zero setting microscope
- Headstock (spindle) type D1-3
- Spindle nose adapter for OTTET collets
- RJ45 system for program backup
- Different B32 collets
- Drawbar with nuts for adaptation chucks from various makes and for HAINBUCH clamping
- Set of tool holders

**Tooling system: Turret with fixed tools**

- Set of tool holders
- Tool holder type VDI 20
- Maximum tool section 16x16 mm
- Integrated cooling system. Indexing in both directions





