

Токарные станки

SCHAUBLIN
MACHINES SA

SCHAUBLIN 125CCNR-T

Machine occasion N° de stock : **DB3075**



ЧПУ	Fanuc 20-T
Год	1997

Максимально допустимый диаметр над корзинами	115 мм
Максимально допустимый диаметр над столом	270 мм
Высота пиков	125 мм
Мощность патрона	5.5/7.5 KW
Скорость патрона	30-5000 tr/min
Диаметр патрона	28 мм
Перекрёстное движение	150
Движение в длину	325 мм
Продвижение работы	X/Z : 0-5 мм/мин
Количество башень	1
Number of stations on turret 2	8
capacity of the tank	55 liters
Размеры	1697x1236x1658 mm
Вес	1415 кг

Equipments:

- Oil mist vacuum cleaner Lufttechnik from 2004
- Pneumatic tailstock Mo3 operated with a pneumatic command, axial spindle stroke 70 mm. Adjustable pressure from 25 to 260 daN
- Marcel-Aubert Tool zero setting microscope
- Headstock (spindle) type D1-3
- Spindle nose adapter for OTTET collets
- RJ45 system for program backup
- Different B32 collets
- Drawbar with nuts for adaptation chucks from various makes and for HAINBUCH clamping
- Set of tool holders

Tooling system: Turret with fixed tools

- Set of tool holders
- Tool holder type VDI 20
- Maximum tool section 16×16 mm
- Integrated cooling system. Indexing in both directions





